



AUTOMATIC NITROGEN GENERATOR GEN31-0300

Designed in such a way that not only removes the hassle of having to change over cylinders, it provides an uninterrupted supply of gas at a consistent purity. Features like low operating cost, environment friendly, safe, enegry efficient makes it an ideal choice for laboratory.

Used in Analytical chemistry, Spectroscopy, Pharmaceutical, General laboratory, Food Packaging, Reducing fire hazards, Manufacturing of stainless steel, Wine bottling, LC-MS Gas Chromatography, Fire protection, Glass Industry.. Also known as Laboratory Nitrogen Generator.

GEN31-0300 AUTOMATIC NITROGEN GENERATOR

Automatic control, constant pressure, constant flow

Ultra high molecular membrane separation technique, PCAN carrier and precious metal catalyst

Deoxidation and Dehydration device, high purity

Compact, frees up valuable space

Easy operation, meliminate the need for expensive gas cylinder Safe and reliable



SPECIFICATIONS

| Model | GEN31-0300 |
|--------------------|------------------|
| Hydrogen purity | 99.999% |
| Flow Rate | 0-500 ml / min |
| Output Pressure | 0-0.6 Mpa |
| Pressure Stability | <0.001 Mpa |
| Dimension | 370x330x180 mm |
| Net Weight | 10 kg |
| Consumption Power | 250 W |
| Power Supply | 220 V±10%, 50 Hz |



Centrifugen

82 Wendell Avenue, STE 100, Pittsfield, MA, 01201, USA Email: info@centrifugen.com | Website: centrifugen.com