

AUTO CHEMISTRY ANALYZER ANA81-200A



AUTO CHEMISTRY ANALYZER ANA81-200A

Auto Chemistry Analyzer used to measure different chemicals and clinical chemistry of human biological samples. Used in Research, Hospital, Clinical chemistry, Laboratory, Pharmaceutical.
Also known as Routine biochemistry analysers.

ANA81-200A AUTO CHEMISTRY ANALYZER

49 Sample positions.
56 Reagent positions.
120 Reaction cuvettes.
200 Tests per hour.
Probe with anti-collision function, liquid level detection function.



SPECIFICATIONS

Model	ANA81-200A
Overall Performance	
Throughput	200 Tests/hour
Analysis Method	End-point, Fixed-time, Rate(Kinetic)
Certificates	CE, FDA, ISO9001, ISO13485
Sample & Reagent System	
Sample Positions	49 sample positions
Reagent Positions	56 reagent positions
Sample Volume	2~70 μ l
Reagent Volume	20~350 μ l
Probe	Teflon coating, with anti-collision function, liquid level detection function
Probe Washing	Automatic washing interior and exterior
Reagent Cooling	Refrigerated tray with independent switch
Reaction System	
Temperature Control	37 \pm 0.2°C
Cuvettes	120 reusable cuvettes, optical length 6 mm
Mixer Probe	Independent stirring
Washing	Automatic cuvettes washing
STAT Function	YES
Optical System	
Light Source	12 V/30 W halogen lamp
Spectrophotometry	Post-spectral spectrophotometry
Wavelength	340, 405, 450, 480, 505, 546, 570, 600, 630, 700, 750, 800 nm
Absorbance	0~3.0 Abs
Calibration & QC	

Calibration	Linear: K factor, 1-point, 2-point and multipoint linear Non-Linear: Spline, Polygon, Index, Ogarithm, Logit-4P, Logit-5P
Quality Control	Real-time QC, Westgard multi rule, Cumulative sum check, Twin Plot(2D)
Data Management	
Software	Windows 7/8/10, 32 or 64 bit
LIS System	Bi-direction, support HL7 protocol
Interface	LAN port access
Printer	External, multiple reporting mode available
Working Conditions	
Power Supply	AC220 V±10% 50/60 HZ, 110 V±10% 60 Hz, 300 W
Temperature	15~30°C
Water Consumption	Deionized water: 5L/H
Humidity	40 %~85 %
Size & Weight	
External Size (W*D*H)	950x603x510 mm
Net Weight	65 kg
Package Size (W*D*H)	1085x700x1012 mm
Gross Weight	140 kg

Centrifugen

Centrifugen

82 Wendell Avenue, STE 100, Pittsfield, MA, 01201, USA
Email: info@centrifugen.com | Website: centrifugen.com