THERMOSTATIC OIL BATH BAC51-30

<u>aaaa</u>

centrifugen.com

# THERMOSTATIC OIL BATH BAC51-30

They are suitable for jacketed reactor and also have the intelligent control system. Optional water circulation cooling device which can be used to attain the rapid cooling while controlling the high temperature in the exothermic reaction. It is specifically used for calibration tests, high temperature organic distillation, external circulation and high temperature experiments in all types of industries.

Used in Immunoassays, Melting points, Enzyme reactions, Boiling points, Incubation, Activation of cultures, Laboratory procedures..

Also known as Digital Dry Bath Incubator, Heating block, Laboratory Dry Bath Incubator.

# BAC51-30 THERMOSTATIC OIL BATH

Microprocessor controlled incubation temperature and time Compact design with stable operation Rapid heat up, uniform heating, high stability, low energy consumption and noise Simultaneous display of set temperature and time Built in temperature calibration function Aluminium blocks ensures even heat distribution, eliminating the possibility of heater burnout Custom blocks available to meet experimental requirements Easy cleaning, replacement and disinfection of metal blocks Automatic fault detection and buzzer alarm function Audio alarm indicates program completion Over temperature protection device



#### **SPECIFICATIONS**

| Model                   | BAC51-30       |
|-------------------------|----------------|
| Temperature Range       | RT~100°C       |
| Temperature Fluctuation | ±0.1°C         |
| Pump Flow Rate          | 8 L / min      |
| Inner Dimension (WxDxH) | 300x400x250 mm |
| Power Supply            | 220 V          |

## **OPTIONAL ACCESSORIES**

| Accessory Code | Name  | Description | Block Dimension    | Capacity |
|----------------|-------|-------------|--------------------|----------|
| LS53813        | Block | 6 mm        | 95.5 x 76.5 x 50mm | 42       |
| LS53825        | Block | 7 mm        | 95.5 x 76.5 x 50mm | 42       |
| LS53837        | Block | 10mm        | 95.5 x 76.5 x 50mm | 20       |
| LS53849        | Block | 12mm        | 95.5 x 76.5 x 50mm | 20       |
| LS53861        | Block | 13mm        | 95.5 x 76.5 x 50mm | 20       |
| LS53873        | Block | 15mm        | 95.5 x 76.5 x 50mm | 12       |
| LS53885        | Block | 16mm        | 95.5 x 76.5 x 50mm | 12       |
| LS53897        | Block | 19mm        | 95.5 x 76.5 x 50mm | 12       |
| LS53909        | Block | 20mm        | 95.5 x 76.5 x 50mm | 6        |
| LS53921        | Block | 26mm        | 95.5 x 76.5 x 50mm | 6        |

| LS53933 | Block | 28mm           | 95.5 x 76.5 x 50mm    | 4              |
|---------|-------|----------------|-----------------------|----------------|
| LS53945 | Block | 40mm           | 95.5 x 76.5 x 50mm    | 2              |
| LS53957 | Block | 0.5 ml         | 95.5 x 76.5 x 50mm    | 42             |
| LS53969 | Block | 1.5 ml         | 95.5 x 76.5 x 50mm    | 24             |
| LS53981 | Block | 2.0ml          | 95.5 x 76.5 x 50mm    | 24             |
| LS53993 | Block | 0.2ml          | 95.5 x 76.5 x 50mm    | 48             |
| LS54005 | Block | 0.2ml          | 96.5 x 153.5 x 33.5mm | 96             |
| LS54017 | Block | Flat (no hole) | 96.5 x 135 x 22.5mm   | 96 micro-plate |
| LS54029 | Block | customized     | customized            | customized     |



## Centrifugen

82 Wendell Avenue, STE 100, Pittsfield, MA, 01201, USA Email: info@centrifugen.com | Website: centrifugen.com