

STANDARD FUME HOOD FUH12-1500



STANDARD FUME HOOD FUH12-1500

Created to provide protection from toxic fumes and hazardous volatile vapours, and are reliable and easy to use. Inbuilt ventilation system lowers the risk of fire and explosion. For metal analysis, pharmacy and research field along with safety measures, this product becomes unique choice for the buyers to purchase according to their needs.

Used in Metal analysis, Pharmacy, Research Field, Commercial, Medical, Laboratory.

Also known as Standard Fume Hood, Laboratory Fume Hood, Chemical Fume Hood.

FUH12-1500 STANDARD FUME HOOD

Interior body includes melamine board with acid and alkali resistance function

LCD display

Exterior body is of cold-roll steel with anti-bacterial powder

Working chamber is made of solid chemical-resistant material

UV lamp to sterilize the working area

Adjustable air velocity with electrical controlled glass

Adjustable blower speed of a centrifugal fan



SPECIFICATIONS

Model	FUH12-1500
Airflow Velocity	0.3~0.8 m/s
Air Tightness	No leakage
Equiblast Air Volume	Air Velocity average value ≥ 0.5 m/s, Air volume ≥ 700 m ³ /h
Max Opening	520 mm
Length	1500 mm
Half Peak Value of Shaking	≤ 5 μ m
UV Lamp	Emission of 253.7 nanometers for most efficient decontamination
Illumination	≥ 400 lux
Fluorescent light	36W \times 1
Protection Class	Class I
Front Window	Motorized, 5 mm toughened glass; Anti-UV
Exhaust Duct	4 meters, PVC duct
Pipe Strap	1
Blower Optional Choice	Built-in centrifugal blower, Speed adjustable
Standard Accessory	Water & Gas tap, Water sink, Base stand, 4-meter Exhaust Duct (ϕ 300 mm), Active Carbon Filter, Foot Switch
Work Surface Height	750 mm
Inner Dimension	1380 \times 750 \times 745 mm
Overall Dimension	1500 \times 800 \times 2200 mm
Packing Size	1650 \times 1120 \times 1680 mm
Noise Level	≤ 60 dB (A)
Weight (Net/Gross)	280 kg

Power	500 W
Power Supply	220V/ 50Hz
220V/ 60Hz	110V/60Hz

ACCESSORIES

Accessory Code	Name	Description
LS52302	Fluorescent lamp	
LS52315	UV lamp	
LS52328	Base stand	
LS52341	Waterproof socket	
LS52354	water tap	

Accessory Code	Name	Description
LS52367	Gas tap	
LS52380	Water sink	
LS52432	4 meters PVC exhaust duct	
LS52445	Active carbon filter	
LS52458	Foot switch	

Centrifugen

Centrifugen

82 Wendell Avenue, STE 100, Pittsfield, MA, 01201, USA
Email: info@centrifugen.com | Website: centrifugen.com