

MULTI-PARAMETER ANALYZER MET101-054



MULTI-PARAMETER ANALYZER MET101-054

Multi-parameter Analyzer simultaneously measures Ion, Conductivity, Dissolved Oxygen, Temperature that otherwise requires four different meters. With the appropriate probes installed, it can also simultaneously measure several or one parameters.

MET101-054 MULTI-PARAMETER ANALYZER



Product Image Coming Soon

SPECIFICATIONS

| Model | MET101-054 |
|---|---------------------|
| DC Voltage | |
| 300 mV | $\pm (0.1\%+5)$ |
| 3 V/30 V/300 V | $\pm (0.05\%+5)$ |
| 1000 V | $\pm (0.1\%+5)$ |
| DC Current | |
| 300 μ A/3 mA/30 mA/300 mA | $\pm (0.5\%+10)$ |
| 10 A | $\pm (1.2\%+50)$ |
| Resistance | |
| 300 Ω /3 k Ω /30 k Ω /300 k Ω | $\pm (0.5\%+10)$ |
| 3 M Ω /30 k Ω /300 k Ω | $\pm (0.8\%+10)$ |
| 30 M Ω | $\pm (1.5\%+10)$ |
| 300 M Ω | $\pm (3.0\%+10)$ |
| Capacitance | |
| 30 nF/300 nF/3 μ F/30 μ F | $\pm (3.0 \% + 5)$ |
| 300 μ F/3 mF | $\pm (4.0 \% + 5)$ |
| 30 mF | $\pm (10.0 \%+5)$ |
| 300 mF | $\pm (20.0\%+5)$ |
| Frequency | |
| 10 ~300 Hz | $\pm (0.01.0 \%+5)$ |
| Duty | |
| 0.1 % ~ 99 % | $\pm (2.0 \%+5)$ |
| Display | |
| | 30000 Counts T-RMS |
| Auto / Manual Range | Yes |

| | |
|---------------------------|---------------------|
| Bargraph Display | Yes |
| Relative Measurement | Yes |
| True RMS | Yes |
| MAX/IMIN | Yes |
| USB Interface | Yes |
| Data Hold | Yes |
| Diode Test | Yes |
| Transistor | Yes |
| Continuity | Yes |
| Capacitance Test | Yes |
| AC+DC Voltage Measurement | Yes |
| Back Light | Yes |
| Power Supply | 4x1.5 VAA Batteries |
| 359.5 g(Without Battery) | Size |
| 195x93x54 mm | Safety Level |

Centrifugen

Centrifugen

82 Wendell Avenue, STE 100, Pittsfield, MA, 01201, USA
Email: info@centrifugen.com | Website: centrifugen.com