ORBITAL SHAKER SHA55-350



ORBITAL SHAKER SHA55-350

Allows for easy and accurate rack placement, data retrieval on power failure and slow start up function prevents liquid spillage. Applications like stability and dissolution studies, liquid extractions, protein precipitation studies, small peptide synthesis and dilutions makes it an ideal choice.

Used in Stability, Dissolution Studies, Liquid Extractions, Protein Precipitation, Small Peptide Synthesis, Dilutions. Also known as Laboratory Orbital Shaker.

SHA55-350 ORBITAL SHAKER

Compact space-saving design fits easily in incubator and refrigerator

Simultaneous display of speed, timer and operating mode

Brushless DC motor ensures maintenance-free, reliable and quiet operation

Electronic time switching clock controls time or continuous operation mode

RS232 interface enables data logging & computer control

Over speed detection and protection

Accommodate a variety of platforms, non-slip rubber mat, conical flasks and other sample containers



SPECIFICATIONS

| Model | SHA55-350 | |
|---------------------------------|--|--|
| Speed Range | 100-350 rpm (Linear) 100-500 (orbital) | |
| Temperature | 4-40°C | |
| Permissible Ambient Temperature | 5-40°C | |
| Shaking Orbit | 10 mm | |
| Permissible Relative Humidity | 80.00% | |
| Timing Range | 1-1199 min | |
| Motion | Orbital/Linear | |
| Motor rating Input [W] | 28 | |
| Motor rating output [W] | 15 | |
| Maximum Load Capacity | 7.5 kg | |
| Operation | Continuous/Timed | |
| Overall Dimension | 420x370x100 mm | |
| Display | LCD | |
| Weight | 13.5 kg | |
| Power | 30 W | |
| Power Supply | 100-240V, 50/60Hz | |

OPTIONAL ACCESSORIES

| Accessory Code | Name | Description | Unit |
|----------------|------------------------------------|-------------|------|
| LS53954 | Fixing clip for flask volume 25 ml | | |
| LS53966 | Fixing clip for flask volume 50 ml | | |

| LS53978 | Fixing clip for flask volume 100 ml | |
|---------|--|-------|
| LS53990 | Fixing clip for flask volume 200/250 ml | |
| LS54002 | Fixing clip for flask volume 500 ml | |
| LS54014 | Universal attachment with 4 bars | |
| LS54026 | Fixing clip attachment | |
| LS54038 | Lengthways roller attachment | |
| LS54050 | Dish platform with non-slip mat and fixed string | 8 pcs |



Centrifugen

82 Wendell Avenue, STE 100, Pittsfield, MA, 01201, USA Email: info@centrifugen.com | Website: centrifugen.com