

# MILK ANALYZER



# MILK ANALYZER

Milk Analyzer is used for quick analyses of milk fat and SNF It screen raw milk for abnormal content and can detect adulterants such as urea, ammonium sulphate and water

Used in Dairy farms, Food Industry, Environmental.

Also known as Milk Testing Instrument, Ultrasonic Milk Analyzer.

## ANA71-25MK MILK ANALYZER

Milk analyzer is to make quick analyses of milk on fat(FAT), non fat solids (SNF), Proteins, lactose and water content percentage, Temperature, freezing point, salts and total solids



## SPECIFICATIONS

| Model              | ANA71-25MK                            |
|--------------------|---------------------------------------|
| Measuring Range    |                                       |
| Fat                | 0.01%-25%                             |
| SNF                | 3%-15%                                |
| Density            | 1015-1040 kg/m <sup>3</sup>           |
| Proteins           | 2%-7%                                 |
| Lactose            | 0.01%-6%                              |
| Water Content      | 0%-70%                                |
| Temperature        | 1°C-40°C                              |
| Freezing Point     | -0.4°C- -0.7°C                        |
| Salt               | 0.4%- 1.5%                            |
| Accuracy           |                                       |
| Fat                | ± 0.10%                               |
| SNF                | ± 0.15%                               |
| Density            | ± 0.3 kg/m <sup>3</sup>               |
| Proteins           | ± 0.15%                               |
| Lactose            | ± 0.20%                               |
| Water Content      | ± 3.0%                                |
| Temperature        | ±1°C                                  |
| Freezing Point     | ±0.001°C                              |
| Salts              | ± 0.05%                               |
| Interface          | RS232                                 |
| Standard Accessory | Printer                               |
| Display            | LCD Display – 4 lines x 16 characters |

|                      |                      |
|----------------------|----------------------|
| Power                | 100-240 V , 50/60 Hz |
| Gross Weight         | 6.5 kg               |
| Package Size (WxDXH) | 30x30x45 cm          |

***Centrifugen***

**Centrifugen**

82 Wendell Avenue, STE 100, Pittsfield, MA, 01201, USA  
Email: [info@centrifugen.com](mailto:info@centrifugen.com) | Website: [centrifugen.com](http://centrifugen.com)