# PLATELET INCUBATOR



## PLATELET INCUBATOR

Platelet Incubator is designed to store platelet concentrates in continues motion at a controlled temperature. It provides precise and steady storage conditions for maintaining the viability of platelet concentrates.

Used in Platelet preservation, Food processing industries, Scientific, Research, Medical, Health, Laboratory, Pharmaceuticals, Microbial culturing.

Also known as Laboratory Platelet Incubator.

#### **INCC1** PLATELET INCUBATOR

Microcomputer temperature controller

LCD Display

'Set temperature' and 'Actual temperature' display on double screen, clear and straight forward.

Air forced convection design, ensures the temperature uniform in the chamber.

Over temperature / Low temperature alarm, abnormal shutdown power outage alarm.

Sets in exchange stomatal, to ensure that the air is fresh in the cabinet.

UV Lamp in the cabinet.

Automatic defrost function.

Big observation window, working condition will be clear at a glance.

Stainless steel inner chamber material, easy to clean.

Heat preservation material, uses polyurethane foam.

Closed type compressor.

Less noise.



#### **SPECIFICATIONS**

| Model                      | INCC1-030             | INCC1-060                   | INCC1-120  |
|----------------------------|-----------------------|-----------------------------|--|
| Capacity                   | 10 floors (20-30bags) | 10/15/20 floors (40-60bags) | double doors, 20 floors for each sides, total 40 floors (80-120bags) |
| Temperature Range          | 15-35°C               |                             |  |
| Temperature Accuracy       | ±0.1                  |                             |  |
| Timer Range                | 0-999                 |                             |  |
| Variation (%)              | ±0.5                  |                             |  |
| Internal Dimention (WxDxH) | 390x390x530 mm        | 590x390x820 mm              | 1090x390x950 mm  |
| Overall Dimension (WxDxH)  | 670x600x1050 mm       | 670x6001500 mm              | 1170x6001750 mm  |
| Tray Size (WxDxH)          | 480x300x390 mm        | 480x300x680 mm              | 980x300x810 mm   |
| Weight                     | 110 Kg                | 180 Kg                      | 320 Kg   |
| Power                      | 0.5 KW                | 0.8 KW                      | 1.35 KW  |









### Centrifugen

82 Wendell Avenue, STE 100, Pittsfield, MA, 01201, USA Email: info@centrifugen.com | Website: centrifugen.com