

# HYDROGEN AIR GENERATOR



# HYDROGEN AIR GENERATOR

Hydrogen Air Generator provides hydrogen and pure air simultaneously. They utilize PEM technology to produce high-purity hydrogen gas, no additives required for corrosion and pollution free operation, making our products an ideal choice for laboratory.

Used in Hydrogen & air supply for fuel cells, Pharmaceutical, Gas Chromatography Detectors, Petrochemical, Laboratory, Medical, Research, Industries, Environmental, Clinical, Forensics..

Also known as Laboratory Hydrogen Air Generator.

## GEN41 AUTOMATIC HYDROGEN AIR GENERATOR

Stainless steel air tank inside

Deoxidization device

Output gas purity is higher

Inside machine use silicon rubber ring ( lower content sulfur)

Increased gas output quality

Compact design, easy using, automatically operation, safety



### SPECIFICATIONS

Model	GEN41-0300	GEN41-0500
Environmental Temperature	1-40°C	
Humidity	<85%	
Nitrogen Purity	Oxygen Content: <3PPM, dew point: -56°C	
Flow Rate	0-300 ml / min	0-500 ml / min
Output Pressure	0-0.4 Mpa	
Pressure Stability	<0.003 Mpa	
Dimension	370x180x330 mm	
Consumption Power	60 W	100 W
Power Supply	220 V±10%, 50 Hz	
Net Weight	-	20 kg



GEN41-0300



GEN41-0500



***Centrifugen***

**Centrifugen**

82 Wendell Avenue, STE 100, Pittsfield, MA, 01201, USA  
Email: [info@centrifugen.com](mailto:info@centrifugen.com) | Website: [centrifugen.com](http://centrifugen.com)