

MULTI-PARAMETER ANALYZER MET101-194



MULTI-PARAMETER ANALYZER MET101-194

Multi-parameter Analyzer simultaneously measures Ion, Conductivity, Dissolved Oxygen, Temperature that otherwise requires four different meters. With the appropriate probes installed, it can also simultaneously measure several or one parameters.

MET101-194 MULTI-PARAMETER ANALYZER



Product Image Coming Soon

SPECIFICATIONS

Model	MET101-194
DC Voltage	
60 mV/600 mV/6 V/60 V/600 V/1000 V	± (0.7%+2)
AC Voltage	
60 mV/600 mV/6 V/60 V/600 V/750 V	± (0.8%+3)
DC Current	
600 µA/6000 µA/60 mA/600 mA	± (1.2%+3)
6 A/10 A	± (2.0%+10)
AC Current	
600 µA/6000 µA/60 mA/600 mA	± (1.5%+3)
6 A/10 A	± (3.0%+10)
Resistance	
600 Ω/6 kΩ/60 kΩ/600 kΩ/6 MΩ/60 MΩ	± (1.2%+5)
Capacitance	
10 nF/100 nF/1000 nF/10 µF/100 µF/1000 µF/10 mF	± (3.0%+3)
Frequency	
10 H/100 Hz/1000 Hz/10 kHz/100 kHz/1000 kHz/10 MHz	± (1.0%+5)
Display	6000 Counts
Auto / Manual Range	Yes
Bargraph Display	Yes
Relative Measurement	Yes
True RMS	Yes
MAX/IMIN	Yes
Interface	USB interface
Data Hold	Yes

Diode Test	Yes
Transistor	Yes
Continuity	Yes
Back Light	Yes
Power Supply	4x1.5 V AA Batteries
Weight	Approx. 352.5/360.5g
Size	194x93x55 mm
Safety Standard/Rating	EN61010-1,EN61010-2-033, EN61326,CAT III 1000V

Centrifugen

Centrifugen

82 Wendell Avenue, STE 100, Pittsfield, MA, 01201, USA
Email: info@centrifugen.com | Website: centrifugen.com